This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1) (currently amended) A compound of formula (I):

or a pharmaceutically acceptavle sale, prodrug or metabolite thereof, wherein

A is a bicyclic heterocycle which is:

- (1) benzimidazolyl
- (2) 1,3-benzothiazolyl
- (3) 1,2,3-benzotriazolyl
- (4) 1,3-benzoxazolyl
- (5) 2,3-dihydro-1H-indolyl
- (6) 2,3-dihydro-1H-indenyl
- (7) 1,1-dioxido-2,3-dihydro-1-benzothienyl
- (8) 1H-indazolyl
- (9) 2H-indazolyl
- (10) 1H-indolyl
- (11) 2H-chromenyl
- (12) quinoxalinyl or
- (13) a group of the formula

2

optionally substituted with 1-4 substituents which are independently R 1 , OR 1 , S(O)_pR 1 , C(O)R 1 , C(O)OR 1 , C(O)NR 1 R 2 , halogen, oxo, cyano, or nitro;

B is phenyl, naphthyl <u>or</u>, pyridyl, or quinolinyl optionally substituted with 1-4 substituents which are independently C_1 - C_5 linear or branched alkyl, C_1 - C_5 linear or branched haloalkyl, C_1 - C_3 alkoxy, hydroxy, amino, C_1 - C_3 alkylamino, C_1 - C_6 dialkylamino, carboxyamide, halogen, cyano, nitro or $S(O)_DR^7$;

Lis:

- (a) -(CH₂)_m-O-(CH₂)_l-,
- (b) -(CH₂)_m-(CH₂)_I-,
- (c) $-(CH_2)_m-C(O)-(CH_2)_{l^-}$,
- (d) $-(CH_2)_m NR^3 (CH_2)_{l^-}$,
- (e) -(CH₂)_m- NR³C(O)-(CH₂)_I-,
- (f) -(CH₂)_m-S-(CH₂)_l-,
- (g) -(CH₂)_m-C(O)NR³ -(CH₂)_i-, or
- (h) a single bond:

m and I are integers independently selected from 0-4;

M is a pyridine ring, optionally substituted with 1-3 substituents which are independently C_1 - C_5 linear or branched alkyl, C_1 - C_5 linear or branched haloalkyl, C_1 - C_3 alkoxy, hydroxy, amino, C_1 - C_3 alkylamino, C_1 - C_6 dialkylamino, halogen, or nitro;

Q is $C(O)R^4$, $C(O)OR^4$ or $C(O)NR^4R^{5.}$

each of R1, R2, R3, R4 and R5 is independently:

- (a) hydrogen,
- (b) C₁-C₅ linear, branched, or cyclic alkyl,
- (c) phenyl,

- (d) C₁-C₃ alkyl-phenyl,
- (e) up to per-halo substituted C₁-C₅ linear or branched alkyl,
- (f) - $(CH_2)_{q}X$, wherein X is a 5 or 6 membered heterocyclic ring, containing at least one atom selected from oxygen, nitrogen and sulfur, which is saturated, partially saturated, or aromatic, or a 8-10 membered bicyclic heteroaryl having 1-4 heteroatoms which are O, N or S, or
- (g) -(CH₂)_q-Y, where Y is C(O)R⁶, C(O)OR⁶ and C(O)NR⁶R⁷;

each of R⁶ - R⁷ is independently:

- (a) hydrogen,
- (b) C₁-C₅ linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d) C₁-C₃ alkyl-phenyl, or
- (e) up to per-halo substituted C₁-C₅ linear or branched alkyl;

each of R^1 , R^2 , R^3 , R^4 , R^5 , R^6 and R^7 , other than per–halo substituted C_1 - C_5 linear or branched alkyl, is optionally substituted with 1-3 substituents which are independently C_1 - C_5 linear or branched alkyl, up to perhalo substituted C_1 - C_5 linear or branched alkyl, C_1 - C_3 alkoxy, hydroxy, carboxy, amino, C_1 - C_3 alkylamino, C_1 - C_6 dialkylamino, halogen, cyano, or nitro;

p is an integer selected from 0, 1, or 2; and

q is an integer selected from 1, 2, 3, or 4

or a pharmaceutically acceptable salt of formula I or an oxidized derivative of formula I wherein one or more urea nitrogens are substituted with a hydroxyl group, or an oxidized derivative of formula I wherein the nitrogen atom of pyridine ring M is in the oxide form, or a methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl ester or phenyl C_1 - C_5 alkyl ester of formula I at a carboxylic acid group or amide group.

4

- (currently amended) A compound of claim 1 wherein A and B follow one of the following combinations:
- A= 1H-benzimidazol-5-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er auinelinyl.
- A= 1H-benzimidazol-6-yl; and B= phenyl, pyridinyl $_{\bar{\tau}}$ or naphthyl er quinolinyl,
- A= 1,3-benzodioxin-6-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er quinolinyl,
- A= 1,3-benzodioxin-7-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er quinolinyl,
- A= 1,3-benzodioxin-8-yl; and B= phenyl, pyridinyl, or naphthyl er quinolinyl,
- A= 1,3-benzodioxol-4-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er $\underline{quinolinyl}$,
- A= 1,3-benzodioxol-5-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er $\underline{quinolinyl}$,
- A= 1,3-benzothiazol-2-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er quinolinyl,
- A= 1,3-benzothiazol-5-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er quinolinyl,
- A= 1,3-benzothiazol-6-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er $\underline{quinolinyl}$,
- A= 1,2,3-benzotriazol-5-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er quinolinyl,
- A= 1,3-benzoxazol-2-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl e $_{quinolinyl}$, or
- A= 1,3-benzoxazol-6-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er quinolinyl, $\underline{\underline{or}}$
- 3) (original) A compound of claim 1 wherein A and B follow one of the following combinations:
 - A= 1H-benzimidazolyl; and B= phenyl or pyridinyl,

- A= 1,3-benzodioxinyl; and B= phenyl or pyridinyl,
- A= 1,3-benzodioxolyl; and B= phenyl or pyridinyl,
- A= 1,3-benzothiazolyl; and B= phenyl or pyridinyl,
- A= 1.2.3-benzotriazolvl; and B= phenyl or pyridinyl, or
- A= 1,3-benzoxazolyl; and B= phenyl, pyridinyl.
- 4) (original) A compound of claim 1 wherein A and B follow one of the following combinations:
 - A= 1H-benzimidazol-5-vI; and B= phenvI or pyridinvI.
 - A= 1H-benzimidazol-6-yl; and B= phenyl or pyridinyl,
 - A= 1,3-benzodioxin-6-yl; and B= phenyl or pyridinyl,,
 - A= 1,3-benzodioxin-7-yl; and B= phenyl or pyridinyl,
 - A= 1.3-benzodioxin-8-vI; and B= phenyl or pyridinyl.
 - A= 1,3-benzodioxol-4-vI; and B= phenyl or pyridinyl, .
 - A= 1,3-benzodioxol-5-yl; and B= phenyl or pyridinyl,
 - A= 1,3-benzothiazol-2-yl; and B= phenyl or pyridinyl,
 - A= 1,3-benzothiazol-5-yl; and B= phenyl or pyridinyl,
 - A= 1,3-benzothiazol-6-yl; and B= phenyl or pyridinyl,
 - A=1,2,3-benzotriazol-5-yl; and B= phenyl or pyridinyl,
 - A= 1,3-benzoxazol-2-yl; and B= phenyl or pyridinyl, or
 - A= 1,3-benzoxazol-6-yl; and B= phenyl or pyridinyl.
- 5) (currently amended) A compound of claim 1 wherein A and B follow one of the following combinations:
- A= 2,3-dihydro-1,4-benzodioxin-5-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl \underline{or} -quinolinyl,
- A= 2,3-dihydro-1,4-benzodioxin-6-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl \underline{or} -quinolinyl,
- A=2,3-dihydro-1-benzofuran-5-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er-auinolinyl.
- A= 2,3-dihydro-1H-indol-5-yl; and B= phenyl, pyridinyl, or naphthyl er quinolinyl,

- A= 2,3-dihydro-1H-indol-6-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl er auinolinyl.
- A= 2,3-dihydro-1H-inden-4-yl; and B= phenyl, pyridinyl, or naphthyl er auinelinyl.
- A= 2,3-dihydro-1H-inden-5-yl; and B= phenyl, pyridinyl; or naphthyl er auinelinyl.
- A= 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl; and B= phenyl, pyridinyl, or naphthyl er-quinolinyl.
- 6) (original) A compound of claim 1 wherein A and B follow one of the following combinations:
 - A= 2,3-dihydro-1,4-benzodioxin-5-yl; and B= phenyl or pyridinyl,
 - A= 2,3-dihydro-1,4-benzodioxin-6-yl; and B= phenyl or pyridinyl,
 - A= 2,3-dihydro-1-benzofuran-5-yl; and B= phenyl or pyridinyl,
 - A= 2,3-dihydro-1H-indol-5-yl; and B= phenyl or pyridinyl,
 - A= 2,3-dihydro-1H-indol-6-yl; and B= phenyl or pyridinyl,
 - A= 2,3-dihydro-1H-inden-4-yl; and B= phenyl or pyridinyl,
 - A= 2,3-dihydro-1H-inden-5-yl; and B= phenyl or pyridinyl, or
- A= 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl; and B= phenyl or pyridinyl.
- 7) (currently amended) A compound of claim 1 wherein A and B follow one of the following combinations:
 - A= 1H-indazol-5-yl; and B= phenyl, pyridinyl, or naphthyl or quinolinyl,
 - A= 2H-indazol-5-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl \underline{or} quinolinyl,
 - $A = 1 \\ H-indazol-6-yl; \ and \ B = phenyl, \ pyridinyl, \ \underline{or} \ naphthyl \ \underline{or} \ quinolinyl,$
 - A= 1H-indol-5-yl; and B= phenyl, pyridinyl, or naphthyl or quinolinyl,
- A= 2-oxo-2H-chromen-7-yl; and B= phenyl, pyridinyl, or naphthyl e $_{\text{quinolinyl}}$ or
- A= 1-oxo-2,3-dihydro-1H-inden-5-yl; and B= phenyl, pyridinyl, \underline{or} naphthyl \underline{or} -quinolinyl.

- 8) (original) A compound of claim 1 wherein A and B follow one of the following combinations:
 - A= 1H-indazol-5-yl; and B= phenyl or pyridinyl,
 - A= 2H-indazol-5-yl; and B= phenyl or pyridinyl,
 - A= 1H-indazol-6-yl; and B= phenyl or pyridinyl,
 - A= 1H-indol-5-yl; and B= phenyl or pyridinyl,
 - A= 2-oxo-2H-chromen-7-yl; and B= phenyl or pyridinyl, or
 - A= 1-oxo-2,3-dihydro-1H-inden-5-yl; and B= phenyl or pyridinyl.
- 9) (currently amended) A compound of claim 1 wherein A and B follow one of the following combinations:
 - A= quinoxalin-2-yl; and B= phenyl, pyridinyl, or naphthyl or quinolinyl or
 - A= quinoxalin-6-yl; and B= phenyl-, pyridinyl, or naphthyl or quinolinyl.
- 10) (original) A compound of claim 1 wherein A and B follow one of the following combinations:
 - A= quinoxalin-2-yl; and B= phenyl or pyridinyl, or
 - A= quinoxalin-6-yl; and B= phenyl or pyridinyl.
 - 11) (original)A compound as in claim 1 wherein L is -O- or -S-.
 - (Previously presented) A compound which is:
- N-methyl-4-[3-({[(2-methyl-1,3-benzoxazol-6yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-[4-([[(1-acetyl-2,3-dihydro-1H-indol-6-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-({[(6-chloro-1,3-benzothiazol-2-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide

- N-methyl-4-{4-[([6-(trifluoromethoxy)-1,3-benzothiazol-2yl]amino}carbonyl)amino]phen-oxy}pyridine-2-carboxamide
- 4-[4-([[(6-fluoro-1,3-benzothiazol-2-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-([(6-fluoro-1,3-benzothiazol-2yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-{3-fluoro-4-[({{6-(trifluoromethoxy)-1,3-benzothiazol-2yl]amino}carbonyl)amino]phen-oxy}-N-methylpyridine-2-carboxamide;
- 4-[4-([[(6-methoxy-1,3-benzothiazol-2-yl)amino]carbonyl]amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-({[(6-methoxy-1,3-benzothiazol-2-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-({[(5-chloro-1,3-benzoxazol-2-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-([[(5-chloro-1,3-benzoxazol-2-yl)amino]carbonyl]amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-({[(6-chloro-1,3-benzothiazol-2-yl)amino]carbonyl}amino)-3fluorophenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-([[(6-chloro-1,3-benzothiazol-2-yl)amino]carbonyl}amino)-3fluorophenoxy]-N-methylpyridine-2-carboxamide
- 4-(2-chloro-4-{[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide
- 4-[(5-{[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino}quinolin-8-yl)oxy]-N-methylpyridine-2-carboxamide
- 4-[4-({[(4,6-difluoro-1,3-benzothiazol-2-yl)amino]carbonyl}amino)-3fluorophenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-([[(6-methoxy-1,3-benzothiazol-2yl)amino]carbonyl]amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-(4-{[({1-[2-(diethylamino)ethyl]-1H-indol-5-yl}amino)carbonyl]amino}-3fluorophenoxy)-N-methylpyridine-2-carboxamide;
- 4-(4-{[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino}-3-fluorophenoxy)-N-methylpyridine-2-carboxamide

- 4-[3-fluoro-4-({[(1-oxo-2,3-dihydro-1H-inden-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-({[(1,1-dioxido-2,3-dihydro-1-benzothien-6-yl)amino]carbonyl}amino)-3-fluorophenoxyl-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-([[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-fluoro-4-([[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2,4-difluoro-5-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxyl-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-({[[1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)-3-(trifluoromethyl)-phenoxy]pyridine-2-carboxamide
- 4-[4-fluoro-3-([[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-fluoro-5-([[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-chloro-6-fluoro-4-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-([[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-(2-methoxyethyl)pyridine-2-carboxamide
- 4-[3-fluoro-4-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-({[(2,2-difluoro-1,3-benzodioxol-5-yl)amino]carbonyl}amino)-3fluorophenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-(4-{[(quinoxalin-6-ylamino)carbonyl]amino}phenoxy)pyridine-2carboxamide
- 4-(3-fluoro-4-{[(quinoxalin-6-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide
- N-methyl-4-[4-{[(quinoxalin-6-ylamino)carbonyl]amino}-3-(trifluoromethyl)phenoxy]-pyridine-2-carboxamide
- 4-(3-chloro-4-[[(quinoxalin-6-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide

- N-methyl-4-[4-{{[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]carbonyl}-amino)-3-(trifluoromethyl)phenoxy]pyridine-2-carboxamide
- 4-[4-({[(2-methyl-1,3-benzothiazol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[4-({[(2-methyl-1,3-benzothiazol-5-yl)amino]carbonyl}amino)-3-(trifluoro-methyl)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-methyl-4-({[(4-methyl-2-oxo-2H-chromen-7-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-methyl-4-({[(2-methyl-1,3-benzothiazol-5-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-[3-fluoro-4-({[(2-methyl-1,3-benzothiazol-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-{[3-{{[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]methyl}-pyridine-2-carboxamide
- 4-{[3-fluoro-4-{([(1-methyl-1H-indazol-5yl)amino]carbonyl]amino)phenoxy]methyl]-N-methylpyridine-2carboxamide
- 4-[2-chloro-4-{{[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[3-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[4-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]pyridine-2-carboxamide
- 4-[3-({[(2,2-difluoro-1,3-benzodioxol-5-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-({[(2,2-difluoro-1,3-benzodioxol-5-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-chloro-4-([[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2-chloro-4-({[(2,2-difluoro-1,3-benzodioxol-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide

- 4-[3-chloro-4-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[3-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-({[(1-methyl-1H-indazol-6yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-(3-[[(2,3-dihydro-1-benzofuran-5-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide
- N-methyl-4-{3-[([[2-(trifluoromethyl)-1H-benzimidazol-5yl]amino}carbonyl)amino]-phenoxy}pyridine-2-carboxamide
- 4-[4-chloro-3-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-methyl-pyridine-2-carboxamide
- 4-[4-chloro-3-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]-carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[4-chloro-3-({[(2,2-difluoro-1,3-benzodioxol-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-chloro-4-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-[2-chloro-4-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-[4-({[(2,2-difluoro-1,3-benzodioxol-5-yl)amino]carbonyl}amino)-3fluorophenoxyl-pyridine-2-carboxamide
- 4-[3-fluoro-4-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]pyridine-2-carboxamide
- 4-(4-[[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide
- N-methyl-4-[4-({[(1-oxo-2,3-dihydro-1H-inden-5-yl)amino]carbonyl}amino)phenoxy]-pyridine-2-carboxamide
- 5-[3-fluoro-4-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]-N-methylnicotinamide
- 4-[4-{[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino}-3-(trifluoromethyl)phenoxy]-N-methylpyridine-2-carboxamide

- N-methyl-4-[4-({[(1-oxo-2,3-dihydro-1H-inden-5-yl)amino]carbonyl}amino)-3-(trifluoromethyl)phenoxy]pyridine-2-carboxamide
- 4-(3-chloro-4-[[(2,3-dihydro-1H-inden-5ylamino)carbonyl]amino}phenoxy)pyridine-2-carboxamide
- 4-[3-chloro-4-([[(1-oxo-2,3-dihydro-1H-inden-5yl)amino]carbonyl}amino)phenoxy]-pyridine-2-carboxamide
- N-methyl-4-[4-({[(1-methyl-1H-indazol-6yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-(4-{[(1,3-benzothiazol-6-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide
- N-methyl-4-[4-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-(4-{[(2,3-dihydro-1-benzofuran-5-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide
- 4-[2,4-dichloro-5-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]carbonyl]-amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2,4-dichloro-5-({(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-chloro-4-({[(2,2-difluoro-1,3-benzodioxol-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-chloro-4-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6yl)amino]carbonyl}-amino)phenoxy]-N-methylpyridine-2-carboxamide;
- 4-(3-chloro-4-[[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino)phenoxy)-N-methylpyridine-2-carboxamide
- 4-(3-chloro-4-[[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide;
- 4-[3-chloro-4-([[(1-oxo-2,3-dihydro-1H-inden-5-yl)amino]carbonyl]amino)phenoxy]-N-methylpyridine-2-carboxamide;
- 4-[2-chloro-4-([[(1-oxo-2,3-dihydro-1H-inden-5yl)amino]carbonyl]amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-(3-chloro-4-{[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide

- 4-(3-chloro-4-[[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide
- 4-[2,4-dichloro-5-({[(2,2-difluoro-1,3-benzodioxol-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-{4-[([[1-(methylsulfonyl)-2,3-dihydro-1H-indol-5-yl]amino}carbonyl)amino]-phenoxy}pyridine-2-carboxamide
- N-methyl-4-[3-nitro-4-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]-carbonyl}amino)phenoxy[pyridine-2-carboxamide
- N-methyl-4-[2-methyl-4-{{[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-6-yl)amino]-carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-[2,3-difluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3,5-difluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]-N-methylpyridine-2-carboxamide
- 4-[2,5-difluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-({[(2,2,3,3-tetrafluoro-2,3-dihydro-1,4-benzodioxin-5yl)amino]carbonyl}-amino)phenoxy]pyridine-2-carboxamide trifluoroacetate
- 4-[3-fluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}-amino)phenoxy]-pyridine-2-carboxamide
- 4-[3-fluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- N-methyl-4-{[5-{{[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-quinolin-8-yl]oxy}pyridine-2-carboxamide
- 4-(3-[[(1H-indazol-5-ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide dihydrochloride
- N-[2-(methylamino)-2-oxoethyl]-4-[4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-(3-fluoro-4-[(quinoxalin-2-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide
- N-[2-(dimethylamino)-2-oxoethyl]-4-[4-(([(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino)carbonyl}amino)phenoxy]pyridine-2-carboxamide

- N-methyl-4-{3-methyl-4-{{[((2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]pyridine-2-carboxamide
- Methyl 4-[3-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-7yl)amino]carbonyl}-amino)phenoxy]-pyridine-2-carboxylate
- 4-[3-chloro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-chloro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-(3-{[(1,3-benzodioxol-5-ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-[3-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-(3-{[(2,3-dihydro-1,4-benzodioxin-6-ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide
- 4-[4-chloro-3-([[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl]amino)-phenoxy]-N-methylpyridine-2-carboxamide
- 5-[2-fluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]-N-methylnicotinamide
- 4-[2-chloro-4-([[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-[3-chloro-4-([[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-[3-fluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino|carbonyl}amino)-phenoxy|pyridine-2-carboxamide
- 4-[3-fluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-(3-[[(1,3-benzodioxol-5-ylamino)carbonyl]amino}-4-chlorophenoxy)-N-methylpyridine-2-carboxamide
- 4-[4-chloro-3-([[(6-fluoro-4H-1,3-benzodioxin-8yl)amino]carbonyl]amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-(4-{[(1,3-benzodioxol-5-ylamino)carbonyl]amino}-3fluorophenoxy)pyridine-2-carboxamide

- 4-[3-fluoro-4-({[(6-fluoro-4H-1,3-benzodioxin-8yl)amino]carbonyl}amino)phenoxy]-pyridine-2-carboxamide
- 4-(4-chloro-3-[[(2,3-dihydro-1,4-benzodioxin-6ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide
- 4-[3-({[(7-fluoro-2,3-dihydro-1,4-benzodioxin-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- 4-[3-fluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxyl-N-methylpyridine-2-carboxamide
- 4-(4-{[(1,3-benzodioxol-5-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide
- N-methyl-4-[4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- Methyl 4-[4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}-amino)phenoxy]pyridine-2-carboxylate
- Methyl 5-[4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6vl)aminolcarbonyl}amino)-phenoxylnicotinate
- 4-[2,4-dichloro-5-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-5-[4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]nicotinamide
- 4-(4-[[(1,3-benzodioxol-5-ylamino)carbonyl]amino}-3-chlorophenoxy)-Nmethylpyridine-2-carboxamide
- 4-[3-chloro-4-([[(6-fluoro-4H-1,3-benzodioxin-8yl)amino]carbonyl]amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[2-methyl-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-nitro-4-([[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl]-amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide 1-oxide
- 4-[3-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-(2-piperidin-1-ylethyl)pyridine-2-carboxamide

- 4-[3-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-(2pyrrolidin-1-ylethyl)pyridine-2-carboxamide
- 4-[3-{[[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-Npyridin-3-ylpyridine-2-carboxamide
- N-[3-(1H-imidazol-1-yl)propyl]-4-[3-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)-phenoxy|pyridine-2-carboxamide
- N-(2-piperidin-1-ylethyl)-4-[3-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]-carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-(2-pyrrolidin-1-ylethyl)-4-[3-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]-carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-pyridin-3-yl-4-[3-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]pyridine-2-carboxamide
- N-[3-(1H-imidazol-1-yl)propyl]-4-[3-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]-carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-[3-(1H-imidazol-1-yl)propyl]-4-[4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]-carbonyl]amino)phenoxy]pyridine-2-carboxamide
- N-(2-pyrrolidin-1-ylethyl)-4-[4-([[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]-carbonyl}amino)phenoxy|pyridine-2-carboxamide
- N-(2-piperidin-1-ylethyl)-4-[4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]-carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-(2-piperazin-1-ylethyl)-4-[4-({[[2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]-carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-pyridin-2-yl-4-[4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-[4-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-(2pyrrolidin-1-ylethyl)pyridine-2-carboxamide
- 4-[4-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-(2-piperazin-1-ylethyl)pyridine-2-carboxamide
- 4-[2-methoxy-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-(4-{[(2,3-dihydro-1H-inden-5-ylamino)carbonyl]amino}-2methoxyphenoxy)pyridine-2-carboxamide

- 4-[2,5-difluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-[3,5-difluoro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-[3-(aminocarbonyl)-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}-amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-(methylsulfonyl)-4-({[[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-methyl-4-[3-(methylthio)-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-6-yl)amino]carbonyl]amino)phenoxy]pyridine-2-carboxamide
- 4-[3-fluoro-4-({[(6-nitro-1,3-benzothiazol-2yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-({[(6-nitro-1,3-benzothiazol-2yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-[4-({[(4,6-difluoro-1,3-benzothiazol-2-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-({[(2-methyl-1,3-benzoxazol-6yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-(4-[(2,3-dihydro-1H-inden-4-ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide
- 4-[4-([[(2,2-difluoro-1,3-benzodioxol-4-yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-({[(2-methyl-2H-indazol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- 4-(4-{[((1-[2-(diethylamino)ethyl]-1H-indazol-5-yl}amino)carbonyl]amino}-3fluorophenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-[4-({[(2-methyl-1H-indol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-{4-[(2-acetylpyridin-4-yl)oxy]phenyl}-N'-(1-methyl-1H-indazol-5-yl)urea
- N-[2-(dimethylamino)-2-oxoethyl]-4-[4-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}-aminophenoxy]pyridine-2-carboxamide
- N-methyl-4-[4-({[(2-methyl-1,3-benzothiazol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide

- N-methyl-4-{[4-{{[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]methyl}-pyridine-2-carboxamide
- 4-(3-[[(1H-1,2,3-benzotriazol-5-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide
- Methyl 4-[3-{{[(1-methyl-1H-indazol-5yl)amino|carbonyl}amino)phenoxy|pyridine-2-carboxylate
- 4-(4-[[(1H-1,2,3-benzotriazol-5-ylamino)carbonyl]amino}phenoxy)-Nmethylpyridine-2-carboxamide
- 4-(4-[[(1H-indazol-6-ylamino)carbonyl]amino}phenoxy)-N-methylpyridine-2-carboxamide
- N-methyl-4-{4-[([2-(trifluoromethyl)-1H-benzimidazol-5yl]amino}carbonyl)amino]-phenoxy}pyridine-2-carboxamide
- 4-[4-{{[(1-ethyl-2-methyl-1H-benzimidazol-5yl)amino]carbonyl}amino)phenoxy]-N-methylpyridine-2-carboxamide
- Methyl 4-[4-({[(1-methyl-1H-indazol-5yl)amino|carbonyl}amino)phenoxy]pyridine-2-carboxylate
- 4-[2-chloro-4-({[(2,2,4,4-tetrafluoro-4H-1,3-benzodioxin-7yl)amino]carbonyl}amino)-phenoxy]-N-methylpyridine-2-carboxamide
- 4-(4-[[(2,3-dihydro-1,4-benzodioxin-6-ylamino)carbonyl]amino}phenoxy)-N-[3-(1H-imidazol-1-yl)propyl]pyridine-2-carboxamide
- 4-(4-{[(2,3-dihydro-1,4-benzodioxin-6-ylamino)carbonyl]amino}phenoxy)-N-(2-pyrrolidin-1-ylethyl)pyridine-2-carboxamide
- N-[3-(1H-imidazol-1-yl)propyl]-4-[4-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)-phenoxy]pyridine-2-carboxamide
- 4-[4-({[(1-methyl-1H-indazol-5-yl)amino]carbonyl}amino)phenoxy]-N-(2-piperidin-1-ylethyl)pyridine-2-carboxamide
- N-cyclopropyl-4-[4-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide
- N-(cyclopropylmethyl)-4-[4-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]-pyridine-2-carboxamide
- N-cyclobutyl-4-[4-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]pyridine-2-carboxamide or

- Methyl-N-({4-[4-({[(1-methyl-1H-indazol-5yl)amino]carbonyl}amino)phenoxy]pyridin-2-yl}carbonyl)glycinate_
- 13) (original) A pharmaceutical composition which comprises an effective amount of at least one compound of claim1 and a physiologically acceptable carrier.

14) (cancelled)

15) (currently amended) A method for treating or preventing breast cancer which is invasive ductal carcinoma, invasive lobular carcinoma, ductal carcinoma in situ, or lobular carcinoma in situ: cancer of the respiratory tract which is small-cell and non-small-cell lung carcinoma, bronchial adenoma or pleuropulmonary blastoma; brain cancer which is brain stem glioma, hypophtalmic glioma, cerebellar astrocytoma, cerebral astrocytoma, medulloblastoma, ependymoma, neuroectodermal or a pineal tumor; prostate cancer, testicular cancer, endometrial cancer, cervical cancer, ovarian cancer, vaginal cancer, vulvar cancer or sarcoma of the uterus; anal cancer, colon cancer, colorectal cancer, esophageal cancer, gallbladder cancer, gastric cancer, pancreatic cancer, rectal cancer, smallintestine cancer or salivary gland cancer: bladder cancer, penile cancer, kidney cancer, renal cancer, pelvis cancer, ureter cancer, or urethral cancer; eye cancer which is intraocular melanoma and retinoblastoma. liver cancer which is hepatocellular carcinoma, cholangiocarcinoma or mixed hepatocellular cholangiocarcinoma: skin cancer which is squamous cell carcinoma. Kaposi's sarcoma. malignant melanoma, Merkel cell skin cancer, or non-melanoma skin cancer; Head-and-neck cancer which is laryngeal / hypopharyngeal /

AIDS-related lymphoma, non-Hodgkin's lymphoma, cutaneous T-cell lymphoma. Hodgkin's disease, or lymphoma of the central nervous system;

nasopharyngeal / oropharyngeal cancer or lip and oral cavity cancer:

sarcoma of the soft tissue, osteosarcoma, malignant fibrous histiocytoma, lymphosarcoma, or rhabdomyosarcoma;

acute myeloid leukemia, acute lymphoblastic leukemia, chronic lymphocytic leukemia, chronic myelogenous leukemia, or hairy cell leukemia; eaneer-in a human or other mammal comprising administering to a human or other mammal in need thereof a compound of claim 1 and a cytotoxic agent or cytostatic chemotherapeutic agent.

- 16) (Previously presented) A method for regulating the tyrosine kinase signal transduction pathway in a human or other mammal, comprising administering to said human or other mammal a compound of claim 1.
- 17) (Previously presented) A method for regulating the VEGFinduced signal transduction pathway in a human or other mammal, comprising administering to said human or other mammal in need thereof a compound of claim 1.
 - 18) (cancelled)
 - 19) (cancelled)
- 20) (original) A method for treating or preventing one or more of the following conditions in humans and/or other mammals: tumor growth, retinopathy, ischemic retinal-vein occlusion, retinopathy of prematurity, age related macular degeneration; rheumatoid arthritis, psoriasis, a bolos disorder associated with subepidermal blister formation, including bullous pemphigoid, erythema multiforme, or dermatitis herpetiformis, comprising administering to a human or other mammal in need thereof a compound of claim 1.
 - 21) (cancelled)

22) (previously presented) A method for regulating the VEGF-induced signal transduction pathway in a human or other mammal, comprising administering to said human or other mammal a compound of claim 12.


23) (currently amended) A method for treating or preventing
breast cancer which is invasive ductal carcinoma, invasive lobular carcinoma,
ductal carcinoma in situ, or lobular carcinoma in situ;
cancer of the respiratory tract which is small-cell and non-small-cell
lung carcinoma, bronchial adenoma or pleuropulmonary blastoma;
brain cancer which is brain stem glioma, hypophtalmic glioma,
cerebellar astrocytoma, cerebral astrocytoma, medulloblastoma,
ependymoma, neuroectodermal or a pineal tumor;
prostate cancer, testicular cancer, endometrial cancer, cervical cancer,
ovarian cancer, vaginal cancer, vulvar cancer or sarcoma of the uterus;
anal cancer, colon cancer, colorectal cancer, esophageal cancer,
gallbladder cancer, gastric cancer, pancreatic cancer, rectal cancer, small-
intestine cancer or salivary gland cancer;
bladder cancer, penile cancer, kidney cancer, renal cancer, pelvis
cancer, ureter cancer, or urethral cancer;
eye cancer which is intraocular melanoma and retinoblastoma.
liver cancer which is hepatocellular carcinoma, cholangiocarcinoma or
mixed hepatocellular cholangiocarcinoma;
skin cancer which is squamous cell carcinoma, Kaposi's sarcoma,
malignant melanoma, Merkel cell skin cancer, or non-melanoma skin cancer;
Head-and-neck cancer which is laryngeal / hypopharyngeal /
nasopharyngeal / oropharyngeal cancer or lip and oral cavity cancer;
AIDS-related lymphoma, non-Hodgkin's lymphoma, cutaneous T-cell
lymphoma, Hodgkin's disease, or lymphoma of the central nervous system;
sarcoma of the soft tissue, osteosarcoma, malignant fibrous
histiocytoma, lymphosarcoma, or rhabdomyosarcoma;
acute myeloid leukemia, acute lymphoblastic leukemia, chronic
lymphocytic leukemia, chronic myelogenous leukemia, or hairy cell leukemia;
eancer comprising administering a compound of claim 12.

24) (Currently amended) A compound of formula (I):

or a pharmaceutically acceptable salt, prodrug or metabolite—thereof, wherein Q is C(O)R⁴, C(O)OR⁴ or C(O)NR⁴R^{5.;}

wherein A is a bicyclic heterocycle which is:

- (1) benzimidazol-5-yl
- (2) benzimidazol-6-yl
- (3) 1,3-benzothiazol-2-yl
- (4) 1,3-benzothiazol-5-yl
- (5) 1,3-benzothiazol-6-yl
- (6) 1,2,3-benzotriazol-5-vl
- (7) 1,3-benzoxazol-2-yl
- (8) 1,3-benzoxazol-6-yl
- (9) 2,3-dihydro-1H-indol-5-yl
- (10) 2,3-dihydro-1H-indol-6-yl
- (11) 2,3-dihydro-1H-inden-4-yl
- (12) 2,3-dihydro-1H-inden-5-yl
- (13) 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl
- (14) 1H-indazol-5-yl
- (15) 2H-indazol-5-yl
- (16) 1H-indazol-6-vl
- (17) 1H-indol-5-yl
- (18) 2-oxo-2H-chromen-7-yl
- (19) 1-oxo-2,3-dihydro-1H-inden-5-yl
- (20) quinoxalin-2-yl
- (21) quinoxalin-6-yl, or
- (22) a group of the formula



optionally substituted with 1-4 substituents which are independently R^1 , OR^1 , $S(O)_pR^1$, $C(O)R^1$, $C(O)OR^1$, $C(O)NR^1R^2$, halogen, oxo, cyano, or nitro

B is phenyl, naphthyl, pyridyl, or quinolinyl optionally substituted with 1-4 substituents which are independently C_1 - C_5 linear or branched alkyl, C_1 - C_5 linear or branched haloalkyl, C_1 - C_3 alkoxy, hydroxy, amino, C_1 - C_3 alkylamino, C_1 - C_6 dialkylamino, carboxyamide, halogen, cyano, nitro or $S(O)_bR^7$;

Lis:

- (a) -(CH₂)_m-O-(CH₂)_I-,
- (b) $-(CH_2)_m-(CH_2)_{i-}$,
- (c) -(CH₂)_m-C(O)-(CH₂)_i-,
- (d) -(CH₂)_m-NR³-(CH₂)_I-,
- (e) $-(CH_2)_m NR^3C(O) (CH_2)_{l}$ -,
- $(f) (CH_2)_m S (CH_2)_{l^-},$
- (g) -(CH₂)_m-C(O)NR³ -(CH₂)_I-, or
- (h) a single bond;

m and I are integers independently selected from 0-4;

M is a pyridine ring, optionally substituted with 1-3 substituents which are independently C_1 - C_5 linear or branched alkyl, C_1 - C_5 linear or branched haloalkyl, C_1 - C_3 alkoxy, hydroxy, amino, C_1 - C_3 alkylamino, C_1 - C_6 dialkylamino, halogen, or nitro;

Q is $C(O)R^4$, $C(O)OR^4$ or $C(O)NR^4R^{5.}$;

each of R1, R2, R3, R4 and R5, is independently:

- (a) hydrogen,
- (b) C₁-C₅ linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d) C₁-C₃ alkyl-phenyl,
- (e) up to per-halo substituted C₁-C₅ linear or branched alkyl,
- (f) -(CH₂)_q·X, wherein X is a 5 or 6 membered heterocyclic ring, containing at least one atom selected from oxygen, nitrogen and sulfur, which is saturated, partially saturated, or aromatic, or a 8-10 membered bicyclic heteroaryl having 1-4 heteroatoms which are O, N or S, or
- (g) -(CH₂)_q-Y, where Y is C(O)R⁶, C(O)OR⁶ and C(O)NR⁶R⁷;

each of R6 - R7 is independently:

- (a) hydrogen,
- (b) C₁-C₅ linear, branched, or cyclic alkyl,
- (c) phenyl,
- (d) C1-C3 alkyl-phenyl, or
- (e) up to per-halo substituted C₁-C₅ linear or branched alkyl;

each of R^1 , R^2 , R^3 , R^4 , R^5 , R^6 and R^7 , other than per-halo substituted C_1 - C_5 linear or branched alkyl, is optionally substituted with 1-3 substituents which are independently C_1 - C_5 linear or branched alkyl, up to perhalo substituted C_1 - C_5 linear or branched alkyl, C_1 - C_3 alkoxy, hydroxy, carboxy, amino, C_1 - C_3 alkylamino, C_1 - C_6 dialkylamino, halogen, cyano, or nitro;

p is an integer selected from 0, 1, or 2; and

g is an integer selected from 1, 2, 3, or 4,

or a pharmaceutically acceptable salt of formula I or an oxidized derivative of formula I wherein one or more urea nitrogens are substituted with a hydroxyl group, or an oxidized derivative of formula I wherein the nitrogen atom of

pyridine ring M is in the oxide form, or a methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl ester or phenyl C₁-C₅ alkyl ester of formula I at a carboxylic acid group or amide group.

25) (original) A compound of claim 24 wherein A is selected from

- (1) benzimidazol-5-yl
- (2) benzimidazol-6-yl
- (8) 1,3-benzoxazol-6-yl
- (9) 2,3-dihydro-1H-indol-5-yl
- (10) 2,3-dihydro-1H-indol-6-yl
- (11) 2,3-dihydro-1H-inden-4-yl
- (12) 2,3-dihydro-1H-inden-5-yl
- (13) 1,1-dioxido-2,3-dihydro-1-benzothien-6-vl
- (14) 1H-indazol-5-yl
- (15) 2H-indazol-5-yl
- (16) 1H-indazol-6-yl
- (17) 1H-indol-5-yl
- (18) quinoxalin-2-yl
- (19) quinoxalin-6-yl, and
- (20) a group of the formula

26) (original) A compound of claim 24 wherein the optional substituents on bicyclic heterocycle A are independently R^1 , OR^1 , and halogen.


26

- 27) (currently amended) A compound as in claim 26 wherein B is phenyl er pyridyl, optionally substituted with 1-4 substituents which are halogen.
 - 28) (original) A compound of claim 27 wherein L is -O-.
- 29) (original) A compound of claim 28 wherein Q is $C(O)NR^4R^5$ and each of R^4 and R^5 is independently hydrogen or C_1 - C_5 alkyl.
 - 30) (currently amended) A compound of formula (I):

or a pharmaceutically acceptable salt, prodrug or metabolite thereof, wherein

A is a bicyclic heterocycle which is:

- (1) benzimidazol-5-yl
- (2) benzimidazol-6-yl
- (8) 1,3-benzoxazol-6-yl
- (9) 2,3-dihydro-1H-indol-5-yl
- (10) 2,3-dihydro-1H-indol-6-yl
- (11) 2,3-dihydro-1H-inden-4-yl
- (12) 2,3-dihydro-1H-inden-5-yl
- (13) 1,1-dioxido-2,3-dihydro-1-benzothien-6-yl
- (14) 1H-indazol-5-yl
- (15) 2H-indazol-5-yl
- (16) 1H-indazol-6-yl
- (17) 1H-indol-5-yl
- (18) quinoxalin-2-yl
- (19) quinoxalin-6-yl, and
- (20) a group of the formula



optionally substituted with 1-4 substituents which are independently R 1 , OR 1 , S(O)_pR 1 , C(O)R 1 , C(O)OR 1 , C(O)NR 1 R 2 , halogen, oxo, cyano, or nitro B is phenyl, optionally substituted with halogen,

L is -O-,

M is a pyridine ring substituted only with Q, Q is $C(O)NHR^5$ and R^5 is independently hydrogen or C_1 - C_5 alkyl, and p is an integer selected from 0, 1, or 2

or a pharmaceutically acceptable salt of formula I or an oxidized derivative of formula I wherein one or more urea nitrogens are substituted with a hydroxyl group, or an oxidized derivative of formula I wherein the nitrogen atom of pyridine ring M is in the oxide form, or a methyl, ethyl, propyl, isopropyl, butyl, isobutyl, pentyl ester or phenyl C₁-C₅ alkyl ester of formula I at a carboxylic acid group or amide group.